

Patent
Attorney Docket: 264/163

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

BURBANK et al.

Serial No.: 09/865,905

Filed: May 24, 2001

For: FLUID PROCESSING SYSTEMS AND
METHODS USING EXTRACORPOREAL
FLUID FLOW PANELS ORIENTED
WITHIN A CARTRIDGE

Group Art Unit: 3762

Examiner: Not yet assigned

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Commissioner for Patents
Washington, D.C. 20231

Sir:

In response to the Notice to File Corrected Application papers mailed June 26, 2001, enclosed are substitute formal drawings (22 sheets). The Commissioner is hereby authorized to charge any additional fees that may be required to Deposit Account No. 12-2475.

Respectfully submitted,

LYON & LYON LLP

Dated: November 20, 2001

By: John Kappos

John Kappos, Reg. No. 37,861
Attorneys for Applicant


JCK/cp
633 West Fifth Street, Suite 4700
Los Angeles, California 90071-2066
(949) 567-2300 or (213) 489-1600

CERTIFICATE OF MAILING (37 C.F.R. §1.8a)

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as First Class Mail in an envelope addressed to the Commissioner for Patents, Washington, D.C. 20231.

November 20, 2001
Date of Deposit

Cynthia B. Pacheco
Cynthia B. Pacheco



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/865,905	05/24/2001	Jeffrey H. Burbank	264/163

CONFIRMATION NO. 6268

FORMALITIES LETTER



OC000000006225291

22249
LYON & LYON LLP
SUITE 4700
633 WEST FIFTH STREET
LOS ANGELES, CA 90071-2063

Date Mailed: 06/26/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

20090505 09:00:00